



© Crown copyright 1978

Made and published by the Director General of the Ordnance Survey, Southampton.

E17/6

E17/6

COMPILATION DATA


Levelled 1961
Boundaries Apr 1977
H W M M T 1957

(a) Surveyed; (b) Revised.
Surveys of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

HEIGHTS are given in METRES above the Newlyn Datum.

Bench mark lists, which may contain later levelling information and particulars of bench marks to which no values have been shown, are obtainable from the Director General, Ordnance Survey. The representation on this plan of a road, track or path is no evidence of the existence of a right of way. The alignment of tunnels where shown is approximate.

Details of symbols and abbreviations used can be obtained from Ordnance Survey, Southampton.



SD 5227 NE
CONVERSION SCALE
METRES-FEET

BOUNDARIES


Table listing various boundary types and their symbols, including County, District, Civil Parish, Community, Electoral Division, Ward, and Constituency boundaries.

Coincident boundaries are shown by the first appropriate symbol above, e.g. Boro Const & E D Bdy.
For Ordnance Survey purposes County Boundary is deemed to be the limit of the parish structure whether or not a parish area adjoins.

Table listing boundary markings and their symbols, including Base of Bank, Centre of Road, Face of Fence, Top of Bank, etc.

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point to within 10 metres proceed as follows:
EXAMPLE from sheet TQ 0529 SE
1. Take the two letters preceding the sheet number TQ
2. Take the west edge of the grid square in which the point lies and read the figures opposite this line on the north or south margin 059
Estimate tens of metres from the grid line to the point (distance e) 8
The resulting four figure number is the Easting 0598
3. Take the south edge of the grid square in which the point lies and read the figures opposite this line on the east or west margin 29
Estimate tens of metres from the grid line to the point (distance n) 6
The resulting four figure number is the Northing 2906
4. The full ten metre reference is given by writing first the letters, followed by the Easting and then by the Northing TQ 05982906
For further information see 'An Introduction to the Projection for Ordnance Survey Maps and the National Reference System.'



One grid square on this plan represents one hectare on the ground. To convert hectares to acres multiply by 2.471 05.



ORDNANCE SURVEY

PLAN SD 5228 SE

Scale: 1:1250 or 50·688 inches to 1 Mile

Surveyed - July 1957
Levelled - 1930

PLAN SD 5228 SE



Printed and Published by the Director General of the Ordnance Survey, Chessington, Surrey. 1958.

Crown Copyright reserved.

PLAN SD 5228 SE

PLAN SD 5228 SE

E1716

- Antiquities (Site of) \odot
Change of boundary mering $\circ-\circ$
- Bench Mark \uparrow
" " Fundamental \uparrow
- Surface Level \uparrow
Revision Point or Traverse Station \uparrow
Triangulation Station \triangle
- Levelling Information
Altitudes of Bench Marks and surface levels are given in feet above the Newlyn Datum.
Bench Mark lists, which may contain later levelling information, are obtainable from Director General, Ordnance Survey.
- Boundary Mering Abbreviations
Centre of Old Course of Stream .COCS
Centre of Road, etc .CR
Centre of Stream .CS
4 feet from Root of Hedge .4ft RH
Face of Fence .FF
- Face of Wall .FW
Side of River, etc .SR
Track of Hedge .TK H
Track of Stream .TK S
Defaced, Undefined .Def, Und
- Base of Bank .BB
Centre of Bank .CB
Centre of Canal, etc .CC
Centre of Drain, etc .CD
Centre of Covered Stream .CCS

REFERENCE

For fuller information see Reference Card published separately.

NATIONAL GRID REFERENCE

The lines on the plan form part of the National Grid and are spaced at 100 metre intervals.
To give a large scale reference defining the position of a point to the nearest 10 metres proceed as follows:—

EXAMPLE: No 58 BROADGATE

EASTING		NORTHING	
Take west edge of square in which point lies and read the figures opposite this line on NORTH and SOUTH margins		Take south edge of square in which point lies and read the figures opposite this line on EAST and WEST margins	
529	6	284	3
Estimate tens of metres from the grid line		Estimate tens of metres from the grid line	
5296		2843	
TEN METRE REFERENCE: SD 52962843			

For further information see "The Projection for Ordnance Survey Maps and Plans and the National Reference System"
The representation on this plan of a road, track or footpath is no evidence of the existence of a right of way.

- Beer House .BH
Bench Mark .BM
Boundary Post .BP
Boundary Stone .BS
Capstan, Crane .Cr, C
Cart Track .CT
Drinking Fountain .DF
Electricity Pillar, Post or Pylon .EIP
Fire Alarm Pillar .FAP
Flagstaff .FS
Foot Bridge .FB
Footpath .FP
Fundamental Bench Mark .FBM
High or Low Water Mark of Medium Tides .H or LWMT
- Guide Post .GP
Letter Box .LB
Level Crossing .LC
Loading Gauge .LG
Mile, or Mooring Post .MP
Mile Stone .MS
Pillar, Pole, Post or Pylon .PP
Police Call Box .PCB
Police Telephone Pillar .PTP
Post Office .PO
Public House .PH
Pump .Pp
High or Low Water Mark of Ordinary Spring Tides .H or LWMOST
- Revision Point .rp
Signal Box, or Post .SB, SP
Signal Bridge .SBr
Spring .Spr
Stone .S
Sundial .SD
Tank or Track .TK
Telephone Call Box .TCB
Traverse Station .TS
Water Point, or Tap .Wt, Pt, W, T
Weighbridge .WB
Well .W
Wind Pump .Wd Pp